

Management System Verification Pilot: A Tool for ISMS Enhancement





Shivaji S. Seth

**Senior Technical Advisor for Nuclear Safety
DOE Richland Operations Office**


**DOE/EFCOG Chemical Safety Workshop, Washington, D.C.
December 15, 1999**

Hanford Site and the Plutonium Finishing Plant



Management System Verification (MSV) — Relationship to ISMS

- ◆ **ISMS analogy for the U.S. Chemical manufacturing industry is its Responsible Care® Initiative which was established in 1988**
- ◆ **MSV is Chemical Manufacturers Association's (CMA's) verification approach under Responsible Care®, and is its analogy to ISMS Verification**



What is MSV ?

- ◆ **A commercial sector “best practice” for evaluating integrated ESH management systems**
- ◆ **Developed by the 195 member chemical companies of the CMA**
- ◆ **Based on six years of accumulated experience with more than 50 chemical companies**



ISMS Enhancement Aspects of Responsible Care and MSV

- ◆ **Senior management commitment to and involvement with ES&H**
- ◆ **Individual accountability for ES&H**
- ◆ **A systems approach towards evaluation**
- ◆ **Public involvement**



ISMS Verification Enhancement at PFP

- ◆ ***What:*** Use the MSV® process prior to ISMSV
- ◆ ***Why:*** Test MSV® as a tool to verify readiness
- ◆ ***Who:*** Panel to Panel
- ◆ ***Where:*** PFP Facility
- ◆ ***When:*** December 6-8, 1999



ISMS Verification Enhancement — Review Process

- ◆ **Panel to panel dialogue with RL line management, three levels of PFP management, and workers**
- ◆ **Verifier panel includes MSV experts, and RL line management, public and worker representatives**
- ◆ **Lines of inquiry derived from ISM system description and selected MSV core elements**



Summary of Observations on the Process

- ◆ Almost every panel member rated the process as highly favorable — provides constructive, critical review using a structured MSV dialogue process
- ◆ Areas of mutual reinforcement are examples of commitment to ISMS; and areas of discrepancies indicate opportunities for improvement
- ◆ Public and worker participants viewed as positive and important
- ◆ Useful for testing ISMS readiness and for periodic review of ISMS implementation status

